FEDERALLY ENFORCEABLE STATE OPERATING PERMIT

PERMITTEE

F. E. Wheaton and Company

Attn: Jeff Brown

204 West Wheaton Drive

Yorkville, Illinois 60560

Application No.: 97010015 I.D. No.: 093801AAM

Applicant's Designation: FLOWCOAT Date Received: March 7, 2005

Subject: Flowcoaters

Date Issued: June 16, 2005 Expiration Date: June 16, 2010

Location: 204 West Wheaton Drive, Yorkville

This permit is hereby granted to the above-designated Permittee to OPERATE emission unit(s) and/or air pollution control equipment consisting of five flowcoaters and one drying oven pursuant to the above-referenced application. This Permit is subject to standard conditions attached hereto and the following special condition(s):

- 1a. This federally enforceable state operating permit is issued to limit the emissions of air pollutants from the source to less than major source thresholds (i.e., 100 tons/year for volatile organic material (VOM), 10 tons/year for any single hazardous air pollutant (HAP), and 25 tons/year for all HAPs combined). As a result the source is excluded from the requirement to obtain a Clean Air Act Permit Program (CAAPP) permit. The maximum emissions of this source, as limited by the conditions of this permit, are described in Attachment A.
- b. Prior to issuance, a draft of this permit has undergone a public notice and comment period.
- c. This permit supersedes all operating permits issued for this location.
- 2. Emissions of VOM and operation of the five flowcoaters and one drying oven shall not exceed the following limits:

J MOV	Jsage	VOM Emissions				
(Tons/Month)	(Tons/Year)	(Tons/Month)	(Tons/Year)			
<u> </u>	·					
11.0	95.0	11.0	95.0			

These limits define the potential emissions of VOM and are based on maximum coating, solvent, and additive usages, maximum VOM content, and limits as requested by the company. Compliance with annual limits shall be determined on a monthly basis from the sum of the data for the current month plus the preceding 11 months.

3. Pursuant to 35 Ill. Adm. Code 215.204(1), the types of coatings applied in the five flow coaters shall not exceed the following 1b VOM/gallon of coating (minus water and any compounds which are exempted from the definition of VOM) as applied at each applicator:

Coating	VOM Content (Lb VOM/Gal)
Opaque Stain	4.7
Non-Topcoat Pigmented Coat	5.0
Semi-Transparent Stain	6.6
Sealer	5.6

- 4. The emissions of Hazardous Air Pollutants (HAP) as listed in Section 112(b) of the Clean Air Act shall be less than 10 tons/year of any single HAP and 25 tons/year of any combination of such HAPs. As a result of this condition, this permit is issued based on the emissions of all HAPs from this source not triggering the requirements to obtain a Clean Air Act Permit Program Permit (CAAPP), and Section 112(G) of the Clean Air Act.
- 5. In the event that the operation of this emission unit results in an odor nuisance, the Permittee shall take appropriate and necessary actions to minimize odors, including but not limited to, changes in raw material or installation of controls, in order to eliminate the odor nuisance.
- 6. The Permittee shall maintain monthly records of the following items:
 - a. Amount of each coating, solvent, and additive used on all flow coaters (tons/month and tons/year);
 - b. VOM and HAP content of each coating, solvent, and additive used on all flow coaters (lb VOM/gallon or weight percent);
 - c. VOM emissions with supporting calculations. The following equations shall be used to calculate VOM emissions:

$$Te = \sum_{i=1}^{n} A_{i}B_{i}$$

Where:

- Te = Total VOM emissions from all coating lines each month in units of lbs/month or tons/month;
- i = Subscript denoting an individual coating, solvent, and
 additive;

- A_i = Weight of VOM per volume of each coating, solvent, and additive as applied each month on all coating lines in units of lbs VOM/gallon; and
- B_i = Volume of each coating, solvent and additive as applied each month on all coating lines in units of gallons/month.
- d. Emissions of each individual HAP with supporting calculations.
- 7. All records and logs required by this permit shall be retained at a readily accessible location at the source for at least three years from the date of entry and shall be made available for inspection and copying by the Illinois EPA or USEPA upon request. Any records retained in an electronic format (e.g., computer) shall be capable of being retrieved and printed on paper during normal source office hours so as to be able to respond to an Illinois EPA or USEPA request for records during the course of a source inspection.
- 8. If there is an exceedance of the requirements of this permit as determined by the records required by this permit, the Permittee shall submit a report to the Illinois EPA's Compliance Section in Springfield, Illinois within 30 days after the exceedance. The report shall include the emissions released in accordance with the recordkeeping requirements, a copy of the relevant records, and a description of the exceedance or violation and efforts to reduce emissions and future occurrences.
- 9. Two (2) copies of required reports and notifications concerning equipment operation or repairs, performance testing or a continuous monitoring system shall be sent to:

Illinois Environmental Protection Agency Division of Air Pollution Control Compliance Section (#40) P.O. Box 19276 Springfield, Illinois 62794-9276

<u>and</u> one (1) copy shall be sent to the Illinois EPA's regional office at the following address unless otherwise indicated:

Illinois Environmental Protection Agency Division of Air Pollution Control 9511 West Harrison Des Plaines, Illinois 60016

If you have any questions on this, please call George Kennedy at 217/782-2113.

Donald E. Sutton, P.E.
Manager, Permit Section
Division of Air Pollution Control

DES:GMK:psj

cc: Region 1

Attachment A - Emission Summary

This attachment provides a summary of the maximum emissions from the Coating Facility operating in compliance with the requirements of this federally enforceable permit. In preparing this summary, the Illinois EPA used the annual operating scenario which results in maximum emissions from such a plant. The resulting maximum emissions are below the levels, (e.g., 100 tons per year of VOM) at which this source would be considered a major source for purposes of the Clean Air Act Permit Program. Actual emissions from this source will be less than predicted in this summary to the extent that less material is handled, and control measures are more effective than required in this permit.

	E M	I	S S	I	0	N	S
		HAP		HAPs			
	VOM Single		le		Combined		
Process	(Tons/Yr)		(Tons/	/Yr)	_	(]	Cons/Yr)
5 Flow Coaters and One Drying Oven	$\frac{95.0}{95.0}$			_			
Totals:	95.0		< 1	0			< 25

GMK:psj